

Nabrezie Sv. Cyrila 47 Prievidza 97101, Slovakia

Reg.No.: 45492409 VAT No.: SK2023015863

# LABSA 240/D

# **1.PRODUCT AND COMPANY IDENTIFICATION**

COMPANY	KAPACHIM S.A.
SUBSTANCE TRADE NAME	LABSA 240/D
INCI NAME	C10-13-ALKYL BENZENE SULFONIC ACID
APPLICATION	Intermediary for the production of the anionic surfactant, linear alkyl benzene sulfonate, sodium salt.

#### 2. HAZARDS IDENTIFICATION:

ADVERSE HUMAN HEALTH EFFECTS	The product is a corrosive substance. Contact with the eyes may cause ocular lesions. Contact with the skin may cause burns, it is seriously irritating to the mucouses if swallowed. The product is harmful if ingested.	
ENVIRONMENTAL EFFECTS	The product is not classified dangerous to the environment according to the Directives 67/548//EC and to its following amendments. The user is advised to use anyway good work practice and to avoid contamination of the environment.	
OTHER EFFECTS	The product is a strong acid which reacts exothermally with bases. Dilution with water produces heat.	

#### **3. COMPOSITION/ INFORMATION ON INGREDIENTS:**

CHEMICAL NATURE	Substance	
CHEMICAL NAME	Aryl sulfonic acid, liquid, with not more than 5% free sulfuric acid	
SYNONYMS	Linear alkyl benzene sulfonic acid. Alkyl aryl sulfonic acid.	
CHEMICAL FORMULA	$R - C_6 H_4 - SO_3 H$ $R = C_{10-13}$	
CAS REGISTRY NYMBER	85536-14-7	
EC NUMBER	287-494-3	

# HAZARDOUS IMPURITIES

Name	Concentr. % m/m	CAS REGISTRY NUMBER	EC NUMBER	Symbol	R Phrases
1.Sulfuric acid	< 2	7664-93-9	016-020-00-8	C-Corrosive	R35

R35: Causes severe burns.

## **4. FIRST AID MEASURES**

INGESTION	The product may cause severe irritation of the mouth and
	esophagus. If accidentally ingested, administer water. Do not induce
	vomiting. Gall a physician immediately.



Nabrezie Sv. Cyrila 47Reg.No.: 45492409Prievidza 97101, SlovakiaVAT No.: SK2023015863

**Sales department:** tel.: +421 911 993183 web: www.prochemical.eu mail: sales@prochemical.eu

INHALATION	The product is not volatile. If under particular conditions, such as in the case of fire, fumes or aerosols are inhaled, remove the patient to a well ventilated location and call a physician.
EYE CONTACT	Flush eyes immediately with running water for a long time. Seek medical assistance immediately.
SKIN CONTACT	The product may cause burns. Remove the contaminated clothing and wash with plenty of water and call a physician immediately.
ANNOTATIONS TO A PHYSICIAN	The product is a high foaming anionic surfactant. If gastric ravage is necessary, them use a silicone antifoam (dimethicone)

#### **5. FIRE - FIGHTING MEASURES:**

GENERAL INFORMATION	The product poses little risk of ignition.
	If it happens to be involved in a fire, keep the tank cooled by means of water spray in order to avoid the decomposition of the product.
SUITABLE EXTINGUISHING MEDIA	Water spray, foam, carbon dioxide.
NOT SUITABLE EXTINGUISHING MEDIA	None in particular.
SPECIFIC HAZARDS	Combustion produces carbon dioxide, carbon monoxide and oxide of sulfur.
	When heated to decomposition, toxic fumes of SO2 and SO3 are emitted.
SPECIAL EQUIPMENT	For large fires, wear self contained breathing apparatus.

## **6. ACCIDENTAL SPILL MEASURES:**

PERSONAL PRECAUTIONS	Avoid direct contact with the product.
	Wear rubber gloves and rubber boots, face shield
	and keep close by a gas mask provided with filter
	for acid vapors.
ENVIRONMENTAL PRECAUTIONS	Surround the spilt with earth or sand. Collect the spilled materials in suitable containers. If necessary absorb the spilt onto inert materials.
	Dispose of material according to the requirements of local laws. In case of leaking into sewer inform the local officials. Inform the local officials.
METHODS FOR CLEANING UP	Neutralize the residue of product with NaOH or with caustic lime. Wash the contaminated area
	with plenty of water. If excessive foam is produced,
	use a silicone based antifoam to bring it down.



Nabrezie Sv. Cyrila 47 Prievidza 97101, Slovakia Reg.No.: 45492409 VAT No.: SK2023015863

# 7. HANLING AND STORAGE:

HANDLING	Avoid contact with the product. While handling the product, wear a protective apron, rubber or PVC gloves and a face shield. Handle the product in well ventilated areas. Neutralize with base under controlled conditions.
STORAGE	Do not heat above 50oC. Compatible materials: stainless steel , mild steel, plastic materials. Incompatible with galvanized steel, aluminum, cooper alloys.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

PRECAUTIONARY MEASURES	Installation of an eyewash fountain is recommended. Do not eat or drink onto the work place. When handling the product use approved protective clothing, rubber or PVC gloves, and a face shield.
PERSONAL PROTECTIVE EQUIPMENT	Wear safety goggles or a face shield and approved protective clothing.
THRESHOLD LIMIT VALUE	Not established.
REQUIREMENTS FOR PERIODIC HEALTH CHECKUP	Specific measures are not foreseen.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE AT 20°C: Brown viscous liquid ODOR: Of sulfur NOMINAL ACTIVE MATTER CONCENTR: ~100% m/m AVERAGE MOLECULAR MASS: ~ 325 SOLUBILITY at 20°C: - water: Soluble

- water: Soluble
- ethanol: Soluble
- acetone: Not compatible
- aliphatic hydrocarbons: Insoluble

MASS DENSITY at 20<sup>o</sup>C:  $\sim 1.060 \text{ g/cm}^3$ 

VISCOSITY at 20°C:  $\sim$  1900 cs

MELTING RANGE:  $\sim -10c$ 

BOILIING TEMPERATURE AT 100 kPa : Not applicable to this product



Nabrezie Sv. Cyrila 47	Reg.No.: 45492409	web: w
Prievidza 97101, Slovakia	VAT No.: SK2023015863	mail: sa
VAPOR PRESSURE a 20°C:	Below 0.15 Pa (0.001 mm Hg)	
VAPOR DENSITY(air =1):	Not applicable to this product	
FLASH POINT (PMcc):	Not applicable to this product	
AUTOIGNITION TEMPERATU	IRE: Not applicable to this product DECOMPO	OSITION
TEMPERATURE: $\sim 100^{\circ}$ C		
pH 1% water: ~ 1		
EXPLOSION PROPERTIES:	Not pertinent to this product	
OXIDIZING PROPERTIES:	Not pertinent to this product.	

# **10. STABILITY AND REACTIVITY:**

HAZARDOUS DECOMPOSITION PRODUCTS	In case of overheating , sulfur oxides can be emitted
CONDITIONS TO AVOID	Do not heat above 80 - 90°C
MATERIALS TO AVOID	Neutralization with bases under uncontrolled conditions.
INTENDED USE AND TRANSFORMATION	The product may be neutralized under controlled conditions with the appropriate base to produce the corresponding salt.

#### **11. TOXICOLOGICAL INFORMATION:**

POSSIBLE ROUTES OF PENETRATION	Ingestion and contact.
INGESTION	Corrosive substance, harmful for ingestion.
	Oral acute LD50 : > 500 - 2000 mg/kg
EYE CONTACT	Severe eye irritant (rabbit)
	It may cause irreversible damage to the eyes
SKIN CONTACT	Contact may cause ulceration.
SENSITIZATION	Not sensitizing
NHALATION	Inhalation is possible only as an aerosol, Strong Irritant to respiratory passages.

#### **12. ECOLOGICAL INFORMATION:**

ENVIRONMENTAL DISTRIBUTION	Water is likely to be the main transport medium for the chemical, to estimate its possible environmental distribution.
PRIMARY BIODEGRADABILITY	90% OECD screening test (sodium salt) The surfactant fulfils the requisite minimum requirements of primary biodegradability as per Directive 82/243/EC
READY BIODEGRADABILITY	60% OECD 301 F test. The surfactant can be classified ``ready biodegradable`` according to the criteria of Directive 91/325/EC

Sales department: tel.: +421 911 993183 web: www.prochemical.eu nail: sales@prochemical.eu



Nabrezie Sv. Cyrila 47 Prievidza 97101, Slovakia Reg.No.: 45492409 VAT No.: SK2023015863 Sales department: tel.: +421 911 993183 web: www.prochemical.eu mail: sales@prochemical.eu

ABIOTIC DEGRADABILITY	Not available
THEORETICAL OXYGEN DEMAND (ThOD)	2.49 mg//O <sub>2</sub> /mg
CHEMICAL OXYGEN DEMAND (COD)	Not available
ECOTOXICITY	EC50 > 1 - 10 MG/l
Log P o/w	Not applicable, surface active substance.
BCF	Insufficient available information

#### **13. DISPOSAL CONSIDERATIONS:**

Dispose of product in authorized places/methods in observance with current laws, it may be treated in a biological waste water treatment plant.

# 14. TRANSPORT INFORMATION: UN Classification Number: 2586

Name of the delivering product	Aryl sulfonic acid,, liquid with not more than 5% free sulfuric acid
BY SEA (IMO/IMDG):	
Class: 8 Page: 8105 Pa	acking group: III Label: 8
MARPOL Annex II: Cat C—A	lkylbenzenesulponic acid MARPOL Annex III
EmS: 8-06 MFAG: table no 7	700 BY
ROAD (ADR):	
Class: 8 : 34 <sup>o</sup> C Identifica	tion numbers on the plate: 80/2586 Packing group: III Label: 8 BY
RAIL (RID):	
Class: 8: 34 <sup>o</sup> C Identifica	tion numbers on the plate: 80/2586 Packing group: III Label: 8 BY
AIR (ICAO / IATA):	
Class: 8 Label: 8	

# **15. REGULATORY INFORMATION (Directive 67/548/EC and following amendments)** STATORY PROVISIONAL NOT NECESSARY



SYMBOLS OF HAZARD: RISK PHRASES: Corrosive

R 22- Harmful if swallowed R 34- Causes burns

SAFETY ADVICES:

S 26-In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 28- After contact with skin, wash immediately with plenty of water.

S 36/37/39-Wear suitable protective clothing. Gloves and eye/face protection.

# www.prochemical.eu



Nabrezie Sv. Cyrila 47 Prievidza 97101, Slovakia Reg.No.: 45492409 VAT No.: SK2023015863 Sales department: tel.: +421 911 993183 web: www.prochemical.eu mail: sales@prochemical.eu

#### **16 OTHER INFORMATION:**

- (1) CESIO Classification and Labeling of Anionic, Nonionic Surfactant (1990)
- (2) NIOSH Registry of Toxic Effects of Chemical Substances (1983)
- (3) R.D. Swisher Surfactant Biodegradation. Second Ed.Marcel Dekker 1987
- (4) Handbook of Chemistry and Physios Ed. "The Chemical Rubber Co" Cleveland , Ohio-1988, 69th Edition

(5) Giornale del Chimici lignenisti Italiani , n 1/92 - Vol 17. Valon Limite di Soglia ACGIH 1991/92

- (6) EINECS European Inventory of Existing Commercial Chemical Substances.
- (7) Indices to the TSCA Inventory : 1985 Edition
- (8) PITIO (Federchimica) Bollettino N.2 October 1994
- (9) R.D. Swisher Surfactant Biodegradation. Second Ed.Marcel Dekker 1987
- (10) A.D. Little- Environ and Human Safety of Major Surf-Vol.1, Anionic Surfactants. Part 1: Linear Alkyl benzene NTIS. Feb. 199